
AREA SPOTLIGHTS

Albuquerque, NM: Bernalillo County, NM



Bernalillo County, NM: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	141
Suicide.....	14

Population..... 581,442

Deaths per 1,000,000 population

Drug misuse.....	242.5
Suicide.....	24.1

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	91	32	141	56
Alcohol ¹			49	--
Cocaine	59	18	57	18
Marijuana	--	0	--	0
Stimulants	4	--	4	--
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	--	--	--	--
Antidepressants			13	--
Antipsychotics			0	0
Benzodiazepines			15	0
Misc. anxiolytics, sedatives, and hypnotics			--	0
Opiates/opioids			100	29
Heroin (specified)	39	11	39	11
Methadone			20	5
All other opiates/opioids			47	13
Nonsteroidal anti-inflammatory agents			--	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			--	0
Anticonvulsants			--	0
Muscle relaxants			5	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	136
Abuse	--
Drug or alcohol	135
Toxic effects	127
Body systems (includes infections)	21
Accidents and injuries	9


Place of death, 2003

Drug misuse	Deaths
Health care facility	31
Home	73
Public place	14
Other	23
Not documented	0

Death rates by gender and age: Drug misuse, 2003




Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Atlanta-Sandy Springs-Marietta, GA: Fulton County, GA



Fulton County, GA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	108
Suicide.....	4

Population

818,322

Deaths per 1,000,000 population

Drug misuse.....	132.0
Suicide.....	4.9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	84	36	108	42
Alcohol ¹			23	0
Cocaine	79	34	78	34
Marijuana	--	0	--	0
Stimulants	4	--	4	--
Club drugs ²	--	0	--	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			7	--
Antipsychotics			0	0
Benzodiazepines			18	0
Misc. anxiolytics, sedatives, and hypnotics			--	0
Opiates/opioids			53	5
Heroin (specified)	--	0	--	0
Methadone			--	0
All other opiates/opioids			50	5
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			--	0
Anticonvulsants			0	0
Muscle relaxants			--	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	106
Abuse	7
Drug or alcohol	106
Toxic effects	75
Body systems (includes infections)	28
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	32
Home	45
Public place	15
Other	15
Not documented	--

Death rates by gender and age: Drug misuse, 2003




Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Baltimore-Towson, MD: Baltimore City, MD



Baltimore City, MD: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	305
Suicide.....	4

Population..... 628,670

Deaths per 1,000,000 population

Drug misuse.....	485.2
Suicide.....	6.4

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	150	8	305	38
Alcohol ¹			117	0
Cocaine	150	8	150	8
Marijuana	0	0	0	0
Stimulants	0	0	0	0
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			54	0
Antipsychotics			14	0
Benzodiazepines			13	0
Misc. anxiolytics, sedatives, and hypnotics			34	0
Opiates/opioids			277	29
Heroin (specified)	0	0	0	0
Methadone			61	10
All other opiates/opioids			242	19
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	--
Misc. analgesics/combinations			20	0
Anticonvulsants			--	0
Muscle relaxants			0	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	304
Abuse	0
Drug or alcohol	304
Toxic effects	298
Body systems (includes infections)	11
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	134
Home	101
Public place	5
Other	65
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Baltimore-Towson, MD: Baltimore County, MD



Baltimore County, MD: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	120
Suicide.....	3

Population..... 777,184

Deaths per 1,000,000 population

Drug misuse.....	154.4
Suicide.....	3.9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	43	--	120	16
Alcohol ¹			51	--
Cocaine	42	--	42	--
Marijuana	0	--	0	0
Stimulants	0	--	0	0
Club drugs ²	0	--	0	0
Hallucinogens ³	0	--	0	0
Inhalants	0	--	0	0
Antidepressants			32	0
Antipsychotics			7	0
Benzodiazepines			8	0
Misc. anxiolytics, sedatives, and hypnotics			19	0
Opiates/opioids			98	9
Heroin (specified)	--	--	--	0
Methadone			28	--
All other opiates/opioids			82	8
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			16	--
Anticonvulsants			0	0
Muscle relaxants			4	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	117
Abuse	0
Drug or alcohol	117
Toxic effects	113
Body systems (includes infections)	6
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	19
Home	78
Public place	--
Other	21
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Boston-Cambridge-Quincy, MA-NH: Essex County, MA



Essex County, MA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	93
Suicide.....	13

Population..... 737,848

Deaths per 1,000,000 population

Drug misuse.....	126.0
Suicide.....	17.6

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	67	31	93	41
Alcohol ¹			20	0
Cocaine	42	17	37	14
Marijuana	--	0	--	0
Stimulants	0	0	0	0
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	--	--	--	--
Antidepressants			10	--
Antipsychotics			0	0
Benzodiazepines			14	--
Misc. anxiolytics, sedatives, and hypnotics			--	0
Opiates/opioids			62	20
Heroin (specified)	28	13	28	13
Methadone			7	0
All other opiates/opioids			31	7
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			--	--
Anticonvulsants			0	0
Muscle relaxants			--	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	91
Abuse	25
Drug or alcohol	91
Toxic effects	79
Body systems (includes infections)	8
Accidents and injuries	5


Place of death, 2003

Drug misuse	Deaths
Health care facility	18
Home	58
Public place	--
Other	10
Not documented	4

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Boston-Cambridge-Quincy, MA-NH: Middlesex County, MA



Middlesex County, MA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	108
Suicide.....	14

Population..... 1,471,724

Deaths per 1,000,000 population

Drug misuse.....	73.4
Suicide.....	9.5

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	74	32	108	54
Alcohol ¹			18	0
Cocaine	49	18	45	17
Marijuana	--	0	--	0
Stimulants	0	0	0	0
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	--	--	--	0
Antidepressants			4	--
Antipsychotics			5	--
Benzodiazepines			19	4
Misc. anxiolytics, sedatives, and hypnotics			--	0
Opiates/opioids			72	30
Heroin (specified)	25	13	24	13
Methadone			4	--
All other opiates/opioids			46	15
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			0	0
Anticonvulsants			--	--
Muscle relaxants			0	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	108
Abuse	26
Drug or alcohol	108
Toxic effects	92
Body systems (includes infections)	12
Accidents and injuries	7


Place of death, 2003

Drug misuse	Deaths
Health care facility	28
Home	52
Public place	5
Other	17
Not documented	6

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Boston-Cambridge-Quincy, MA-NH: Suffolk County, MA



Suffolk County, MA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	132
Suicide.....	14

Population..... 680,705

Deaths per 1,000,000 population

Drug misuse.....	193.9
Suicide.....	20.6

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	99	41	132	58
Alcohol ¹			29	0
Cocaine	87	31	80	30
Marijuana	--	0	--	0
Stimulants	0	0	0	0
Club drugs ²	--	0	--	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			4	0
Antipsychotics			--	0
Benzodiazepines			27	8
Misc. anxiolytics, sedatives, and hypnotics			--	0
Opiates/opioids			68	17
Heroin (specified)	21	10	20	10
Methadone			0	0
All other opiates/opioids			49	7
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			--	--
Anticonvulsants			--	0
Muscle relaxants			0	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	131
Abuse	27
Drug or alcohol	131
Toxic effects	113
Body systems (includes infections)	24
Accidents and injuries	14


Place of death, 2003

Drug misuse	Deaths
Health care facility	24
Home	60
Public place	24
Other	21
Not documented	--

Death rates by gender and age: Drug misuse, 2003




Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Chicago-Naperville-Joliet, IL-IN-WI: DuPage County, IL



DuPage County, IL: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	63
Suicide.....	15

Population..... 925,188

Deaths per 1,000,000 population

Drug misuse.....	68.1
Suicide.....	16.2

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	32	16	63	26
Alcohol ¹			15	--
Cocaine	25	13	21	10
Marijuana	--	0	--	0
Stimulants	0	0	0	0
Club drugs ²	--	0	--	0
Hallucinogens ³	0	0	0	0
Inhalants	--	0	--	0
Antidepressants			8	0
Antipsychotics			--	0
Benzodiazepines			7	0
Misc. anxiolytics, sedatives, and hypnotics			12	--
Opiates/opioids			40	12
Heroin (specified)	9	--	9	--
Methadone			8	--
All other opiates/opioids			26	7
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			4	0
Anticonvulsants			--	0
Muscle relaxants			--	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	57
Abuse	5
Drug or alcohol	57
Toxic effects	57
Body systems (includes infections)	9
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	19
Home	29
Public place	4
Other	11
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Denver-Aurora, CO: Denver County, CO



Denver County, CO: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	123
Suicide.....	12

Population..... 557,478

Deaths per 1,000,000 population

Drug misuse.....	220.6
Suicide.....	21.5

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	71	18	123	34
Alcohol ¹			55	0
Cocaine	59	15	58	15
Marijuana	--	0	--	0
Stimulants	12	--	11	--
Club drugs ²	--	0	--	0
Hallucinogens ³	0	0	0	0
Inhalants	--	--	--	--
Antidepressants			7	0
Antipsychotics			--	0
Benzodiazepines			13	0
Misc. anxiolytics, sedatives, and hypnotics			--	0
Opiates/opioids			79	12
Heroin (specified)	0	0	0	0
Methadone			9	0
All other opiates/opioids			72	12
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	--
Misc. analgesics/combinations			7	--
Anticonvulsants			0	0
Muscle relaxants			4	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	120
Abuse	--
Drug or alcohol	120
Toxic effects	112
Body systems (includes infections)	12
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	27
Home	77
Public place	9
Other	10
Not documented	0

Death rates by gender and age: Drug misuse, 2003




Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Detroit-Warren-Livonia, MI: Oakland County, MI



Oakland County, MI: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	116
Suicide.....	18

Population 1,207,869

Deaths per 1,000,000 population

Drug misuse.....	96.0
Suicide.....	14.9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	79	14	116	22
Alcohol ¹			27	0
Cocaine	58	12	56	12
Marijuana	29	0	27	0
Stimulants	--	0	--	0
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			22	--
Antipsychotics			--	0
Benzodiazepines			37	--
Misc. anxiolytics, sedatives, and hypnotics			0	0
Opiates/opioids			91	7
Heroin (specified)	4	--	4	--
Methadone			26	--
All other opiates/opioids			70	4
Nonsteroidal anti-inflammatory agents			--	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			5	0
Anticonvulsants			--	0
Muscle relaxants			13	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	108
Abuse	44
Drug or alcohol	108
Toxic effects	63
Body systems (includes infections)	9
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	18
Home	68
Public place	4
Other	26
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Detroit-Warren-Livonia, MI: Wayne County, MI



Wayne County, MI: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	339
Suicide.....	24

Population

Deaths per 1,000,000 population	
Drug misuse.....	167.1
Suicide.....	11.8

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	240	29	339	33
Alcohol ¹			107	0
Cocaine	200	25	198	25
Marijuana	0	0	0	0
Stimulants	--	0	--	0
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			71	0
Antipsychotics			23	0
Benzodiazepines			80	0
Misc. anxiolytics, sedatives, and hypnotics			76	0
Opiates/opioids			255	7
Heroin (specified)	64	4	64	4
Methadone			39	0
All other opiates/opioids			213	--
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			5	0
Anticonvulsants			7	0
Muscle relaxants			16	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	339
Abuse	184
Drug or alcohol	339
Toxic effects	132
Body systems (includes infections)	18
Accidents and injuries	0


Place of death, 2003

Drug misuse	Deaths
Health care facility	107
Home	154
Public place	7
Other	71
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Houston-Baytown-Sugar Land, TX: Harris County, TX



Harris County, TX: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	241
Suicide.....	78

Population

3,596,086

Deaths per 1,000,000 population

Drug misuse.....	67.0
Suicide.....	21.7

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	160	83	241	104
Alcohol ¹			63	--
Cocaine	126	75	119	74
Marijuana	18	0	15	0
Stimulants	--	--	--	--
Club drugs ²	--	0	--	0
Hallucinogens ³	4	0	4	0
Inhalants	5	--	--	--
Antidepressants			23	--
Antipsychotics			--	0
Benzodiazepines			47	--
Misc. anxiolytics, sedatives, and hypnotics			12	0
Opiates/opioids			122	21
Heroin (specified)	27	5	25	5
Methadone			25	7
All other opiates/opioids			78	9
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	--
Misc. analgesics/combinations			4	--
Anticonvulsants			--	0
Muscle relaxants			35	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	241
Abuse	0
Drug or alcohol	241
Toxic effects	236
Body systems (includes infections)	6
Accidents and injuries	0


Place of death, 2003

Drug misuse	Deaths
Health care facility	80
Home	124
Public place	6
Other	31
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Kansas City, MO-KS: Jackson County, MO



Jackson County, MO: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	81
Suicide.....	11

Population..... 659,723

Deaths per 1,000,000 population

Drug misuse.....	122.8
Suicide.....	16.7

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	52	20	81	24
Alcohol ¹			24	--
Cocaine	34	14	33	14
Marijuana	15	0	14	0
Stimulants	7	--	7	--
Club drugs ²	0	0	0	0
Hallucinogens ³	7	5	6	5
Inhalants	--	0	--	0
Antidepressants			20	0
Antipsychotics			--	0
Benzodiazepines			14	0
Misc. anxiolytics, sedatives, and hypnotics			5	0
Opiates/opioids			35	--
Heroin (specified)	0	0	0	0
Methadone			9	--
All other opiates/opioids			27	0
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	--
Misc. analgesics/combinations			--	0
Anticonvulsants			--	0
Muscle relaxants			--	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	64
Abuse	9
Drug or alcohol	64
Toxic effects	54
Body systems (includes infections)	5
Accidents and injuries	14


Place of death, 2003

Drug misuse	Deaths
Health care facility	27
Home	35
Public place	10
Other	9
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Minneapolis-St. Paul-Bloomington, MN-WI: Hennepin County, MN



Hennepin County, MN: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	67
Suicide.....	19

Population 1,121,035

Deaths per 1,000,000 population

Drug misuse.....	59.8
Suicide.....	16.9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	31	20	67	31
Alcohol ¹			19	0
Cocaine	19	10	19	10
Marijuana	0	0	0	0
Stimulants	5	--	5	--
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			4	0
Antipsychotics			--	0
Benzodiazepines			5	0
Misc. anxiolytics, sedatives, and hypnotics			4	0
Opiates/opioids			48	17
Heroin (specified)	9	7	9	7
Methadone			11	--
All other opiates/opioids			32	7
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			--	0
Anticonvulsants			0	0
Muscle relaxants			0	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	67
Abuse	0
Drug or alcohol	67
Toxic effects	63
Body systems (includes infections)	7
Accidents and injuries	0


Place of death, 2003

Drug misuse	Deaths
Health care facility	12
Home	38
Public place	6
Other	11
Not documented	0

Death rates by gender and age: Drug misuse, 2003




Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

New Orleans-Metairie-Kenner, LA: Jefferson Parish, LA



Jefferson Parish, LA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	108
Suicide.....	12

Population..... 452,459

Deaths per 1,000,000 population

Drug misuse.....	238.7
Suicide.....	26.5

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	60	6	108	15
Alcohol ¹			23	0
Cocaine	48	5	46	5
Marijuana	13	0	13	0
Stimulants	9	0	8	0
Club drugs ²	--	--	--	--
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			5	0
Antipsychotics			0	0
Benzodiazepines			51	0
Misc. anxiolytics, sedatives, and hypnotics			21	0
Opiates/opioids			86	9
Heroin (specified)	--	0	--	0
Methadone			35	--
All other opiates/opioids			68	7
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			6	0
Anticonvulsants			--	0
Muscle relaxants			16	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	103
Abuse	--
Drug or alcohol	103
Toxic effects	76
Body systems (includes infections)	24
Accidents and injuries	16


Place of death, 2003

Drug misuse	Deaths
Health care facility	21
Home	58
Public place	8
Other	21
Not documented	0

Death rates by gender and age: Drug misuse, 2003




Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

New Orleans-Metairie-Kenner, LA: Orleans Parish, LA



Orleans Parish, LA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	71
Suicide.....	6

Population 469,032

Deaths per 1,000,000 population

Drug misuse.....	151.4
Suicide.....	12.8

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	47	6	71	9
Alcohol ¹			32	0
Cocaine	35	5	35	5
Marijuana	8	0	8	0
Stimulants	--	0	--	0
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			6	0
Antipsychotics			0	0
Benzodiazepines			15	0
Misc. anxiolytics, sedatives, and hypnotics			14	0
Opiates/opioids			45	--
Heroin (specified)	5	--	5	--
Methadone			17	--
All other opiates/opioids			35	0
Nonsteroidal anti-inflammatory agents			--	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			6	0
Anticonvulsants			--	0
Muscle relaxants			10	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	70
Abuse	54
Drug or alcohol	70
Toxic effects	15
Body systems (includes infections)	70
Accidents and injuries	23


Place of death, 2003

Drug misuse	Deaths
Health care facility	19
Home	33
Public place	5
Other	14
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

New York-Newark-Edison, NY-NJ-PA: Bronx County, NY



Bronx County, NY: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	181
Suicide.....	7

Population..... 1,363,198

Deaths per 1,000,000 population

Drug misuse.....	132.8
Suicide.....	5.1

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	104	18	181	33
Alcohol ¹			61	0
Cocaine	98	18	96	18
Marijuana	10	0	10	0
Stimulants	--	0	--	0
Club drugs ²	0	0	0	0
Hallucinogens ³	--	0	--	0
Inhalants	--	0	--	0
Antidepressants			31	--
Antipsychotics			8	0
Benzodiazepines			25	0
Misc. anxiolytics, sedatives, and hypnotics			22	0
Opiates/opioids			135	14
Heroin (specified)	--	0	--	0
Methadone			60	--
All other opiates/opioids			104	12
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			10	0
Anticonvulsants			--	0
Muscle relaxants			--	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	180
Abuse	54
Drug or alcohol	178
Toxic effects	135
Body systems (includes infections)	42
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	73
Home	92
Public place	7
Other	9
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

New York-Newark-Edison, NY-NJ-PA: Kings County, NY



Kings County, NY: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	226
Suicide.....	8

Population.....2,472,523

Deaths per 1,000,000 population

Drug misuse.....	91.4
Suicide.....	3.2

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	137	25	226	36
Alcohol ¹			76	0
Cocaine	132	25	132	25
Marijuana	10	0	10	0
Stimulants	0	0	0	0
Club drugs ²	--	0	--	0
Hallucinogens ³	--	0	--	0
Inhalants	7	0	6	0
Antidepressants			49	0
Antipsychotics			11	0
Benzodiazepines			45	0
Misc. anxiolytics, sedatives, and hypnotics			34	--
Opiates/opioids			166	10
Heroin (specified)	--	0	--	0
Methadone			70	--
All other opiates/opioids			126	8
Nonsteroidal anti-inflammatory agents			--	0
Salicylates/combinations			4	0
Misc. analgesics/combinations			18	0
Anticonvulsants			5	0
Muscle relaxants			4	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	225
Abuse	38
Drug or alcohol	224
Toxic effects	189
Body systems (includes infections)	26
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	78
Home	116
Public place	9
Other	23
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

New York-Newark-Edison, NY-NJ-PA: New York County, NY



New York County, NY: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	220
Suicide.....	13

Population

1,564,798

Deaths per 1,000,000 population

Drug misuse.....	140.6
Suicide.....	8.3

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	139	27	220	44
Alcohol ¹			74	0
Cocaine	113	20	113	20
Marijuana	8	0	7	0
Stimulants	--	--	--	--
Club drugs ²	--	0	--	0
Hallucinogens ³	6	--	6	--
Inhalants	6	0	5	0
Antidepressants			52	--
Antipsychotics			12	0
Benzodiazepines			42	0
Misc. anxiolytics, sedatives, and hypnotics			20	0
Opiates/opioids			166	20
Heroin (specified)	22	5	22	5
Methadone			56	6
All other opiates/opioids			115	9
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			13	--
Anticonvulsants			--	0
Muscle relaxants			--	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	220
Abuse	25
Drug or alcohol	217
Toxic effects	191
Body systems (includes infections)	28
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	80
Home	108
Public place	12
Other	20
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

New York-Newark-Edison, NY-NJ-PA: Queens County, NY



Queens County, NY: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	148
Suicide.....	6

Population

2,225,486

Deaths per 1,000,000 population

Drug misuse.....	66.5
Suicide.....	2.7

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	83	20	148	30
Alcohol ¹			53	0
Cocaine	69	18	68	18
Marijuana	--	0	--	0
Stimulants	0	0	0	0
Club drugs ²	--	0	--	0
Hallucinogens ³	--	0	--	0
Inhalants	6	0	6	0
Antidepressants			31	0
Antipsychotics			7	--
Benzodiazepines			35	0
Misc. anxiolytics, sedatives, and hypnotics			21	0
Opiates/opioids			91	11
Heroin (specified)	9	--	9	--
Methadone			28	4
All other opiates/opioids			69	5
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			17	0
Anticonvulsants			5	0
Muscle relaxants			0	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	148
Abuse	21
Drug or alcohol	148
Toxic effects	126
Body systems (includes infections)	19
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	41
Home	87
Public place	11
Other	9
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

New York-Newark-Edison, NY-NJ-PA: Suffolk County, NY



Suffolk County, NY: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	124
Suicide.....	14

Population..... 1,468,037

Deaths per 1,000,000 population

Drug misuse.....	84.5
Suicide.....	9.5

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	94	8	124	12
Alcohol ¹			50	0
Cocaine	65	5	63	5
Marijuana	21	0	21	0
Stimulants	4	0	4	0
Club drugs ²	--	0	--	0
Hallucinogens ³	--	0	--	0
Inhalants	0	0	0	0
Antidepressants			30	0
Antipsychotics			15	--
Benzodiazepines			39	0
Misc. anxiolytics, sedatives, and hypnotics			13	--
Opiates/opioids			96	4
Heroin (specified)	43	--	43	--
Methadone			25	--
All other opiates/opioids			62	0
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			7	--
Anticonvulsants			0	0
Muscle relaxants			10	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	123
Abuse	4
Drug or alcohol	122
Toxic effects	113
Body systems (includes infections)	17
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	35
Home	73
Public place	5
Other	11
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Philadelphia-Camden-Wilmington, PA-NJ-DE-MD: Delaware County, PA



Delaware County, PA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	69
Suicide.....	16

Population..... 554,432

Deaths per 1,000,000 population

Drug misuse.....	124.5
Suicide.....	28.9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	38	6	69	13
Alcohol ¹			19	--
Cocaine	34	5	30	5
Marijuana	--	0	--	0
Stimulants	--	0	--	0
Club drugs ²	0	0	0	0
Hallucinogens ³	4	0	4	0
Inhalants	--	0	--	0
Antidepressants			17	0
Antipsychotics			4	0
Benzodiazepines			23	0
Misc. anxiolytics, sedatives, and hypnotics			5	0
Opiates/opioids			49	7
Heroin (specified)	--	--	--	--
Methadone			13	--
All other opiates/opioids			36	--
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			5	0
Anticonvulsants			--	0
Muscle relaxants			--	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	66
Abuse	0
Drug or alcohol	66
Toxic effects	62
Body systems (includes infections)	6
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	23
Home	35
Public place	--
Other	9
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Philadelphia-Camden-Wilmington, PA-NJ-DE-MD: Montgomery County, PA



Montgomery County, PA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	66
Suicide.....	30

Population 770,747

Deaths per 1,000,000 population

Drug misuse.....	85.6
Suicide.....	38.9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	48	8	66	10
Alcohol ¹			18	0
Cocaine	28	6	26	6
Marijuana	17	--	14	--
Stimulants	6	0	4	0
Club drugs ²	--	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			10	0
Antipsychotics			--	0
Benzodiazepines			24	0
Misc. anxiolytics, sedatives, and hypnotics			5	0
Opiates/opioids			35	--
Heroin (specified)	--	0	--	0
Methadone			4	0
All other opiates/opioids			30	--
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			4	0
Anticonvulsants			--	--
Muscle relaxants			4	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	50
Abuse	--
Drug or alcohol	48
Toxic effects	47
Body systems (includes infections)	6
Accidents and injuries	16


Place of death, 2003

Drug misuse	Deaths
Health care facility	23
Home	31
Public place	7
Other	5
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Portland-Vancouver-Beaverton, OR-WA: Multnomah County, OR



Multnomah County, OR: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	119
Suicide.....	17

Population..... 677,813

Deaths per 1,000,000 population

Drug misuse.....	175.6
Suicide.....	25.1

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	88	5	119	13
Alcohol ¹			43	0
Cocaine	45	5	45	5
Marijuana	14	0	13	0
Stimulants	21	0	19	0
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	--	0	--	0
Antidepressants			33	--
Antipsychotics			6	0
Benzodiazepines			26	0
Misc. anxiolytics, sedatives, and hypnotics			7	0
Opiates/opioids			95	5
Heroin (specified)	32	0	32	0
Methadone			22	0
All other opiates/opioids			71	5
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			--	--
Anticonvulsants			--	0
Muscle relaxants			4	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	118
Abuse	9
Drug or alcohol	115
Toxic effects	87
Body systems (includes infections)	7
Accidents and injuries	0


Place of death, 2003

Drug misuse	Deaths
Health care facility	16
Home	73
Public place	16
Other	12
Not documented	--

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Salt Lake City, UT: Salt Lake County, UT



Salt Lake County, UT: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	175
Suicide.....	30

Population

924,247

Deaths per 1,000,000 population

Drug misuse.....	189.3
Suicide.....	32.5

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	104	6	175	10
Alcohol ¹			31	0
Cocaine	67	--	63	--
Marijuana	7	0	7	0
Stimulants	38	0	34	0
Club drugs ²	--	0	--	0
Hallucinogens ³	0	0	0	0
Inhalants	--	0	--	0
Antidepressants			63	0
Antipsychotics			8	0
Benzodiazepines			35	0
Misc. anxiolytics, sedatives, and hypnotics			41	--
Opiates/opioids			140	7
Heroin (specified)	22	4	22	4
Methadone			46	--
All other opiates/opioids			94	--
Nonsteroidal anti-inflammatory agents			--	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			18	--
Anticonvulsants			11	0
Muscle relaxants			23	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	174
Abuse	7
Drug or alcohol	174
Toxic effects	170
Body systems (includes infections)	25
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	53
Home	101
Public place	8
Other	13
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Seattle-Tacoma-Bellevue, WA: King County, WA



King County, WA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	154
Suicide.....	28

Population

1,761,411

Deaths per 1,000,000 population

Drug misuse.....	87.4
Suicide.....	15.9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	74	16	154	34
Alcohol ¹			33	0
Cocaine	48	6	46	6
Marijuana	0	0	0	0
Stimulants	16	6	16	6
Club drugs ²	--	--	--	--
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			62	--
Antipsychotics			7	--
Benzodiazepines			28	0
Misc. anxiolytics, sedatives, and hypnotics			29	--
Opiates/opioids			114	14
Heroin (specified)	19	--	18	--
Methadone			44	5
All other opiates/opioids			67	6
Nonsteroidal anti-inflammatory agents			--	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			5	0
Anticonvulsants			15	0
Muscle relaxants			10	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	153
Abuse	0
Drug or alcohol	153
Toxic effects	153
Body systems (includes infections)	6
Accidents and injuries	--


Place of death, 2003

Drug misuse	Deaths
Health care facility	20
Home	102
Public place	9
Other	23
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Seattle-Tacoma-Bellevue, WA: Snohomish County, WA



Snohomish County, WA: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	65
Suicide.....	15

Population..... 639,409

Deaths per 1,000,000 population

Drug misuse.....	101.7
Suicide.....	23.5

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	33	5	65	10
Alcohol ¹			15	0
Cocaine	20	--	19	--
Marijuana	0	0	0	0
Stimulants	13	--	10	--
Club drugs ²	--	0	--	0
Hallucinogens ³	0	0	0	0
Inhalants	--	--	--	--
Antidepressants			24	0
Antipsychotics			--	0
Benzodiazepines			24	0
Misc. anxiolytics, sedatives, and hypnotics			9	0
Opiates/opioids			51	--
Heroin (specified)	--	0	--	0
Methadone			23	--
All other opiates/opioids			32	--
Nonsteroidal anti-inflammatory agents			--	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			--	--
Anticonvulsants			7	0
Muscle relaxants			4	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	64
Abuse	0
Drug or alcohol	64
Toxic effects	64
Body systems (includes infections)	--
Accidents and injuries	0


Place of death, 2003

Drug misuse	Deaths
Health care facility	7
Home	41
Public place	--
Other	14
Not documented	0

Death rates by gender and age: Drug misuse, 2003




Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

St. Louis, MO-IL: St. Louis City, MO



St. Louis City, MO: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	88
Suicide.....	14

Population

332,223

Deaths per 1,000,000 population

Drug misuse.....	264.9
Suicide.....	42.1

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	64	36	88	47
Alcohol ¹			23	--
Cocaine	44	29	43	29
Marijuana	5	0	5	0
Stimulants	--	0	--	0
Club drugs ²	0	0	0	0
Hallucinogens ³	0	0	0	0
Inhalants	0	0	0	0
Antidepressants			4	--
Antipsychotics			--	0
Benzodiazepines			8	0
Misc. anxiolytics, sedatives, and hypnotics			0	0
Opiates/opioids			42	11
Heroin (specified)	21	7	21	7
Methadone			6	--
All other opiates/opioids			21	--
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			0	0
Misc. analgesics/combinations			8	--
Anticonvulsants			--	0
Muscle relaxants			0	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	86
Abuse	0
Drug or alcohol	86
Toxic effects	56
Body systems (includes infections)	33
Accidents and injuries	5


Place of death, 2003

Drug misuse	Deaths
Health care facility	45
Home	24
Public place	--
Other	17
Not documented	0

Death rates by gender and age: Drug misuse, 2003




Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

St. Louis, MO-IL: St. Louis County, MO



St. Louis County, MO: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	62
Suicide.....	32

Population 1,013,123

Deaths per 1,000,000 population

Drug misuse.....	61.2
Suicide.....	31.6

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	40	22	62	32
Alcohol ¹			15	--
Cocaine	27	12	24	9
Marijuana	0	0	0	0
Stimulants	--	--	--	--
Club drugs ²	0	0	0	0
Hallucinogens ³	--	--	--	--
Inhalants	0	0	0	0
Antidepressants			--	0
Antipsychotics			--	0
Benzodiazepines			4	0
Misc. anxiolytics, sedatives, and hypnotics			--	0
Opiates/opioids			39	19
Heroin (specified)	13	6	13	6
Methadone			11	6
All other opiates/opioids			17	7
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	0
Misc. analgesics/combinations			--	0
Anticonvulsants			0	0
Muscle relaxants			--	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	55
Abuse	--
Drug or alcohol	54
Toxic effects	49
Body systems (includes infections)	7
Accidents and injuries	6


Place of death, 2003

Drug misuse	Deaths
Health care facility	22
Home	22
Public place	6
Other	12
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Washington-Arlington-Alexandria, DC-VA-MD-WV: District of Columbia



District of Columbia: Deaths and population, 2003

Deaths reported to DAWN

Drug misuse.....	147
Suicide.....	8

Population

563,384

Deaths per 1,000,000 population

Drug misuse.....	260.9
Suicide.....	14.2

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse	
	Deaths	Single- drug deaths	Deaths	Single- drug deaths
ALL DRUGS	92	38	147	53
Alcohol ¹			51	--
Cocaine	87	37	87	37
Marijuana	--	0	--	0
Stimulants	--	0	--	0
Club drugs ²	0	0	0	0
Hallucinogens ³	5	--	4	0
Inhalants	0	0	0	0
Antidepressants			8	0
Antipsychotics			--	0
Benzodiazepines			5	0
Misc. anxiolytics, sedatives, and hypnotics			--	0
Opiates/opioids			81	13
Heroin (specified)	5	0	5	0
Methadone			20	5
All other opiates/opioids			63	8
Nonsteroidal anti-inflammatory agents			0	0
Salicylates/combinations			--	--
Misc. analgesics/combinations			0	0
Anticonvulsants			0	0
Muscle relaxants			0	0

¹ Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

² Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

³ Includes PCP, LSD, and miscellaneous hallucinogens.

Deaths by case type, 2003




Causes of death, 2003

Drug misuse	Deaths
Any drug-related cause	146
Abuse	--
Drug or alcohol	146
Toxic effects	139
Body systems (includes infections)	7
Accidents and injuries	4


Place of death, 2003

Drug misuse	Deaths
Health care facility	72
Home	60
Public place	10
Other	5
Not documented	0

Death rates by gender and age: Drug misuse, 2003



Top 5 drugs involved: Drug misuse deaths, 2003



-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

